

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

<https://ceramtec.nt-rt.ru> || cgc@nt-rt.ru

3D-печать — аддитивное производство с использованием SiSiC и Al₂O₃



LET'S PLAY

ADVANCED CERAMIC SOLUTIONS IN NEW DIMENSIONS
3D PRINTING BY CERAMTEC

Additive manufacturing with SiSiC and Al₂O₃

Advanced ceramics from batch size 1 – individually designed additive manufacturing

Additive manufacturing solutions from CeramTec – your benefits

- + Maximum design freedom
- + Flexibility: single-batch customization possible
- + Short delivery times
- + Competent service team
- + Maximum homogeneity, stability and product reliability
- + Simultaneous production of several components on one 3D printer

CeramTec combines the unique product properties of advanced ceramics with the unbeatable process advantages of 3D printing. This is how high-quality, additively manufactured components made of silicon carbide (SiSiC) and aluminium oxide (Al₂O₃) are created: in a large design variety and in the shortest possible production time.

Additive manufacturing without compromise – Silicon Carbide

SiSiC – outstanding material properties

- + Temperature resistance up to 1,350 °C
- + High hardness, stiffness and flexural strength
- + Lower density than metal
- + Very abrasion-resistant
- + Thermal expansion near zero
- + High thermal conductivity
- + Resistant to oxidation
- + Erodible



CeramTec SiSiC 3D Printing Process

System Specifications	
Build area (w/d)	1 job box, 500 x 400 x 300 mm / 19.7 x 15.7 x 11.8 in
Layer thickness	150 microns
Building speed	Approx. 10 mm height per hour
Material	SiC

Part Quality	
Accuracy	± 0,4% (min. ± 0.3 mm)
Minimum feature size	2 mm
Surface roughness	N11 / Ra25


AM SiSiC vs. conventional SiSiC – material properties

Material Properties	AM SiSiC	Conventional SiSiC
Density	2.95 g/cm ³	3.07 g/cm ³
Si content	25 - 30 Vol% SiC%	10 - 20 Vol% SiC%
Hardness HV 0.2	>1200 / 2700 (Si/SiC)	>1200 / 2700 (Si/SiC)
Flex. Strength	220 MPa	350 MPa
E-Modulous	340 GPa	395 GPa
Fracture Toughness	2.0 MPa·m ^{1/2}	2.5 - 3 MPa·m ^{1/2}
Thermal Conductivity	160 W/mK (20 - 100°C)	160 W/mK (20 - 100°C)
Resistivity at RT	1.14*10 ⁻⁴ Ωm	-
Resistivity at 800°C	1.6*10 ⁻⁴ Ωm	5.5*10 ⁻⁴ Ωm

Additive manufacturing without compromise – Aluminium Oxide

Al₂O₃ – outstanding material properties

- + Very good electrical insulation
- + high mechanical & compressive strength
- + High hardness (>1600 HV)
- + Moderate thermal conductivity
- + High corrosion and wear resistance
- + Good gliding properties
- + Low density
- + Operating temperature without mechanical load above 1,000°C



Copyright by XJet

CeramTec Al₂O₃ 3D Printing Process

System Specifications	
Build area (w/d) on removable build tray	2 trays, 500 x 140 mm / 19.7 x 5.5 in, each
Layer thickness	10 microns
Building speed	Up to 1 mm height per hour
Material	Alumina Soluble support ceramics


Part Quality	
Accuracy	± 50 micron on dimensions up to 5 mm 1% of larger dimensions up to ± 100 micron
Minimum feature size	200 microns
Surface roughness	N7 - N9 / Ra1,6 - 6,3

AM Al₂O₃ vs. conventional Al₂O₃ – material properties

Material Properties	AM Al ₂ O ₃	Conventional Al ₂ O ₃
Density	> 99.4% > 3.93 g/cm ³	> 3.95 g/cm ³
Purity	99.99 %	99.2 %
Hardness	>1600 HV	>1730 HV
Flex. Strength	400 - 450 MPa	470 MPa
E-Modulus	387 GPa	390 GPa
Fracture Toughness	3.4 MPa· m ^{1/2}	3.2 MPa· m ^{1/2}
Thermal Conductivity	32 W/mK (20 - 100°C)	30 W/mK (20 - 100°C)

Benefit from a streamlined process for your success

- + Print directly from CAD data
- + No tools required
- + Cavities and undercuts possible
- + Short production lead and tooling
- + Maximum flexibility: make design changes with a mouse click
- + Digitalization of existing components possible
- + Competent service team



Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47