

Системы охлаждения CeramCool

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cgc@nt-rt.ru || сайт: <https://ceramtec.nt-rt.ru>




ELECTRONICS

For Extreme Power Densities

CeramCool® Liquid Cooling

Cooling Systems

CeramCool® Liquid Cooling is one of the most efficient and reliable cooling systems on the market. No other design can achieve this system cooling capacity and still assure such a long lifetime. The ceramic heatsink is perfectly electrically insulating and inert. Electrical circuits can be directly metalized on all its sides and can be populated with high-power components without creating any thermal barrier. The efficiency of the ceramic cooling system increases with the rising capacity of the complete power system – the hotter the better.



Liquid cooling – Almost any cooling capacity!

- Electrical circuits without thermal barriers directly on CeramCool®
- Shortest possible thermal distance between heat source and heat drain: only 1 mm from heat slug
- Homogeneous thermal conductivity
- Best break-through voltage with excellent thermal conductivity

Ceramic Heat-sink – Highly efficient thermal management!


- Ceramics = electrical insulation + thermal conductivity
- $R_{th} = \text{heat-sink} + \text{circuit board}$
- Direct and permanent connection of components
- Eases system stability, reliability and lifetime
- Low thermal resistance R_{th}
- Corrosion-resistant

CeramCool® Liquid Cooling: For almost any Cooling Capacity!


Design and number of cooling channels according to specific requirements. Even simple linear pipe systems deliver amazing cooling capacities, but complex spiral structures and honeycomb high-power systems are also possible. All sides of the heat-sink can be metalized. Custom layouts can be applied directly and densely populated with components.

The choice of ceramic material is decisive for the performance capability of the system. With the same exact geometry, Rubalit® cools 290 W while Alunit® 170 cools 640 W. All CeramCool® systems are excellently suited for UV-applications. To aid comparability of the various cooling systems, all types were simulated using Luxeon Z LEDs.


CeramCool® Liquid Cooling	Dimensions (mm)	Luminous flux (lm)	LED-Power (W)	Number of LEDs	Number of phase elements	lm/cm²	W/cm²	Supply voltage (V)	Supply current (A)	Cooling line connection	Cable terminal
Box	40 x 40 x 16	60,000	680	336	8	3,750	43	~121	5.6	bottom	side
Cell	74 x 56 x 15	80,000	870	432	6	1,900	21	~208	4.2	side	top
Honeycomb	114.5 x 99.5 x 15	186,000	2,000	1,000	10	1,900	21	~289	7	side	top




The compact CeramCool® Box is made for homogeneous and efficient cooling of high packing densities. Packing densities of up to 100 W/cm² are possible with chip on heatsink design. With 40 x 40 x 16 mm³ it provides a total cooling capacity of 1,600 W at 90 °C. It is scalable in any direction. Hose connections on bottom.




Flat CeramCool® Honeycomb with surface that can be populated with over 1,000 LEDs. In other areas of application this cooling system has been reliably cooling packing densities up to 170 W/cm² for decades. Both hose connections are on the same side for easy connection. Simple scalability.




Flat, compact CeramCool® Cell for packing densities up to 21 W/cm² using Luxeon Z LEDs. Both hose connections are on the same side for easy connection. Simple scalability.



Symmetrical spiral condensers with multilevel flow paths ensure balanced cooling all the way to the exterior. Extremely homogeneous cooling.



Designed for 2,000 W with junction temperatures between 91 °C and 69 °C (180 l/h to 960 l/h). A power pack that is resistant to overloading.



This CeramCool® Cell is designed for 80,000 lm and 874 W. The junction temperature remains under 80 °C with a flow rate of 180 l/h.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cgс@nt-rt.ru || сайт: <https://ceramtec.nt-rt.ru>